

Patient Info:

Name: Degen
Chart No: N
Owner: Watson Renee
Doctor: Tech


Species: Canine
Breed: Australian Shepherd
Age: 4Y
Sex: M

Hospital:

Loving Touch Animal Center
 1975 Glenn Club Dr St Mountain, GA 30087
Antech ID: 7223

Lab:

ANTECH Diagnostics
 4895 S. Atlanta, Suite A Smyrna, GA 30080
Reported: 01/18/18 12:15
Received: 01/15/18

Accession No	Doctor	Owner	PetName
ATAB08341015	Tech	Watson Renee	Degen
Test	Results	Adult Reference Range	
Free T4 by Equilibrium Dialysis			
Free T4 (Dialysis)	12 pmol/L	8-40	
TSH			
TSH	<0.03 ng/mL	0 - 0.60	
Thyroglobulin Autoantibodies			
Thyroglobulin Autoantibodies	1 %		

Thyroglobulin autoantibody (TGAA) concentrations are determined after subtraction of non-specific binding, in compliance with the Orthopedic Foundation for Animals Thyroid Registry TGAA guidelines. TGAA Reference Range
 <10% = Negative
 10% - 25% = Equivocal
 >25% = Positive
 Elevated TGAA levels confirm autoimmune thyroiditis and facilitate genetic counseling. False positive results may occur if the dog has been vaccinated within 30 to 40 days. Dogs on thyroid supplement should be off this medication for at least 90 days to obtain accurate TGAA results and when submitting for OFA Registry.